

SAFETY DATA SHEET



1. Identification

Product identifier	Huwa-San DW TR5	
Other means of identification	None	
Recommended use	Oxidizer and oxygen booster	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	SanEcoTec Ltd.	
Address	5636 Manotick Main Street AVIVE House Ottawa, ON K4M 1B3 Canada	
Telephone	Phone:	613-491-0525
	Fax:	613-491-0524
e-mail	info@sanecotec.com	
Emergency phone number	CANUTEC	613-996-6666
Supplier	See above.	

2. Hazard identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2
Environmental hazards	Not classified.	

Label elements



Signal word	Warning	
Hazard statement	Causes serious eye irritation.	
Precautionary statement		
Prevention	Wash thoroughly after handling. Wear eye protection/face protection.	
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Other hazards	None known.	
Supplemental information	None	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Hydrogen peroxide		7722-84-1	5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wear suitable protective clothing. Show this safety data sheet to the doctor in attendance. Do not inhale vapours. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media	Water. Fog.
Unsuitable extinguishing media	Carbon dioxide.
Specific hazards arising from the chemical	Firefighters should wear a self-contained breathing apparatus.
Hazardous combustion products	Decomposition releases oxygen which may intensify fire.
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.
Methods and materials for containment and cleaning up	<p>Stop leak if you can do so without risk.</p> <p>Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewers, basements or confined areas.</p>
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling	Avoid contact with eyes, skin and clothing. Provide adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children. Store in a cool, dry, well-ventilated place away from incompatible materials. Do not store in an unvented container. Never return spilt product to original container. Storage room must have jointless, smooth concrete floors.

8. Exposure controls/Personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.4 mg/m ³
		1 ppm

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.4 mg/m ³
		1 ppm

Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	See above
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Use a face shield if splashing is possible.
Skin protection	
Hand protection	Nitrile rubber. PVC gloves. or Neoprene gloves. Do not wear cotton, wool or leather gloves.
Other	Wear suitable protective clothing. As required by employer code.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2). Do not use any form of air-purifying respirator (APR), especially those containing oxidizable sorbents such as activated carbon.
Thermal hazards	Not applicable.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

9. Physical and chemical properties

Appearance	Clear
Physical state	Liquid.
Form	Liquid
Colour	Colourless
Odour	Odourless
Odour threshold	Not available.
pH	4 - 5
Melting point/freezing point	-3 °C (26.6 °F)
Initial boiling point and boiling range	102 °C (215.6 °F)
Flash point	Non combustible
Evaporation Rate	Not available.
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Non combustible
Flammability limit - upper (%)	Non combustible
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (Water)	Complete
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Non combustible
Decomposition temperature	Not available.
Viscosity	1.75 mPa.s
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidising.
Specific gravity	1.027 g/cm3

10. Stability and reactivity

Reactivity	This product may react with strong acids. This product may react with strong oxidizing agents.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Hazardous polymerisation does not occur.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Caustics. Acids. Reducing agents. Metals. Combustible materials.
Hazardous decomposition products	May include and are not limited to: Oxygen.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	May cause stomach distress, nausea or vomiting.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity Please note that LD50/LC50 data listed below is for 100% Hydrogen peroxide.

Components	Species	Test results
Hydrogen peroxide (CAS 7722-84-1)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA 700 mg/kg
	Rat	3000 - 5480 mg/kg, ECHA 3000 - 5480 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 170 mg/m3, 4 Hours

Components	Species	Test results
Oral LD50	Mouse	2000 mg/kg, CCOHS
	Rat	1270 mg/kg, ECHA
		1193 mg/kg, ECHA
		1026 mg/kg, ECHA
		693.7 mg/kg
		75 mg/kg, LOLI
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitisation		
Canada - Alberta OELs: Irritant		
Hydrogen peroxide (CAS 7722-84-1)	Irritant	
Respiratory sensitisation	Not a respiratory sensitizer.	
Skin sensitisation	This product is not expected to cause skin sensitisation.	
Germ cell mutagenicity	Non-hazardous by WHMIS criteria.	
Carcinogenicity	See below.	
ACGIH Carcinogens		
Hydrogen peroxide (CAS 7722-84-1)	A3 Confirmed animal carcinogen with unknown relevance to humans.	
Canada - Manitoba OELs: carcinogenicity		
Hydrogen peroxide (CAS 7722-84-1)	Confirmed animal carcinogen with unknown relevance to humans.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Hydrogen peroxide (CAS 7722-84-1)	Volume 36, Supplement 7, Volume 71 - 3 Not classifiable as to carcinogenicity to humans.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
Further information	Not available.	

12. Ecological information

Ecotoxicity Components of this product have been identified as having potential environmental concerns.

Please note that data listed below is for 100% Hydrogen peroxide.

Ecotoxicological data

Components	Species	Test results
Hydrogen peroxide (CAS 7722-84-1)		
Algae	IC50	2.5 mg/L, 72 Hours
Crustacea	EC50	7.7 mg/L, 48 Hours

Persistence and degradability NFT 73-260 The product is biodegradable by adsorption of the stabilizer to active silt and by decomposition of the hydrogen peroxide in water and oxygen.

Bioaccumulative potential No data available.

Mobility in soil	No data available.
Mobility in general	Not available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Review federal, provincial, and local government requirements prior to disposal.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

General	Canada: TDG Proof of Classification: In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue. If applicable, the technical name and the classification of the product will appear below.
Transportation of Dangerous Goods (TDG - Canada)	Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.
Export Control List (CEPA 1999, Schedule 3)	Not listed.
Greenhouse Gases	Not listed.
Precursor Control Regulations	Not regulated.
WHMIS status	Controlled

International regulations

Inventory Status


Country(s) or region	Inventory Name	On Inventory (Yes/No)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 2
FLAMMABILITY	0
PHYSICAL HAZARD	1
PERSONAL PROTECTION	X



Issue date	08-February-2017
Revision date	08-February-2017
Version #	01
Other information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. The information in the sheet was written based on the best knowledge and experience currently available.

Prepared by

A Third Party Regulatory Affairs Agency Phone: 613-491-0525